



Paving Bitumen TN

ExxonMobil Asphalt , Tunisia

PENETRATION GRADED BITUMEN PRODUCTS

Product Description

Paving Bitumen TN are penetration graded bitumen products derived from specially selected crude oils via carefully controlled refining processes.

The quality of ExxonMobil products is assured for every delivery. They are produced and controlled according to the ExxonMobil Global Product Integrity Manag System, EN ISO 9000 or equivalent standard.

Applications

Paving Bitumen 35/50 TN grades are recommended for road construction. If other applications are considered, then users should conduct appropriate testing befor

Properties & Specifications

Paving Bitumen 35/50 TN grades meet the following specification requirements:

Paving Bitumen grades			35/50 TN
Property	Unit	Test Method	
Penetration at 25°C	x 0.1 mm	EN 1426	35-50
Softening point	°C	EN 1427	50-58
Flash point (min)	°C	ISO 2592	240
Solubility in toluene (min)	% (m/m)	EN 12592	99.0
Paraffin wax content (max)	% (m/m)	EN 12606-2	4.5

Resistance to hardening: Rolling Thin Film Oven Test at 163 °C (EN 12607-1)

Change of mass (max) +/-	%	EN 12607-1	0.5
Retained penetration (min)	%	EN 1426	53
Softening point after hardening (min)	°C	EN 1427	52

Above specifications may be subject to change.

Health & Safety

Health and Safety recommendations for this product can be found on the Material Safety Data Sheet (MSDS) @ <http://www.msds.exxonmobil.com/psims/psims.as>

All trademarks used herein are trademarks or registered trademarks of Exxon Mobil Corporation or one of its subsidiaries unless indicated otherwise.

05-2020

Further Information

ExxonMobil supplies a full range of bitumen, waxes, white oils, process oils and a full range of other lubricants, fuels and chemical products worldwide. Please c your local ExxonMobil representative, or contact us at www.exxonmobil.com for more information on other products.

Every care has been taken in the preparation of this information. To the extent permitted by applicable law, all warranties and/or representations, express or implic the accuracy of the information are disclaimed, and no liability is accepted for the accuracy or completeness of the same.



© Copyright 2003-2024 Exxon Mobil Corporation. All Rights Reserved