



Mobil Special™ Plus

Mobil Passenger Vehicle Lube , South Korea

High Performance Motor Oil

Product Description

Mobil Special™ Plus is a range of high performance gasoline motor oils that deliver engine protection and cleanliness. Mobil Special Plus is recommended for u wide range of applications and operating conditions. Suitable for use in passenger car application using gasoline, CNG or LNG.

Features and Benefits

- Helps reduce engine wear and corrosion
- Helps keep engine clean
- Multigrade motor oil allowing easier starts at low temperatures
- Good high temperature properties

Specifications and Approvals

Mobil Special meets the requirements of:		
API SM		X

Typical Properties

Mobil Special Plus	Test Method	Unit		
SAE Grade			5W-30	10W-40
Appearance	Visual		Bright and Clear	Bright and Clear
Viscosity @ 100 °C	ASTM D445	cSt	10.1	14.0
CCS Viscosity	ASTM D5293	cP	5900 @ -30 °C	6260 @ -25 °C
Sulfated Ash	ASTM D874	wt%	0.8	0.8
Flash Point	ASTM D92	°C	223	223
Pour Point	ASTM D97	°C	-36	-36
Zinc	ASTM D4951	wt%	0.09	0.08

Health and Safety

Health and Safety recommendations for this product can be found on the Material Safety Data Sheet (MSDS) @ <http://www.msds.exxonmobil.com/psims/psims.as>

All trademarks used herein are trademarks or registered trademarks of Exxon Mobil Corporation or one of its subsidiaries unless indicated otherwise.

11-2021

Mobil Korea Lube Oil Inc.

Level 22, Seoul Square bd., Hangang-daero, Jung-gu, Seoul, Korea

+82-2-750-8700

Typical Properties are typical of those obtained with normal production tolerance and do not constitute a specification. Variations that do not affect product perfor

are to be expected during normal manufacture and at different blending locations. The information contained herein is subject to change without notice. All pri may not be available locally. For more information, contact your local ExxonMobil contact or visit www.exxonmobil.com

ExxonMobil is comprised of numerous affiliates and subsidiaries, many with names that include Esso, Mobil, or ExxonMobil. Nothing in this document is inten override or supersede the corporate separateness of local entities. Responsibility for local action and accountability remains with the local ExxonMobil-affiliate entit

ExxonMobil



© Copyright 2003-2024 Exxon Mobil Corporation. All Rights Reserved